

CORRECTION

Open Access



Correction: Deep learning model for differentiating nasal cavity masses based on nasal endoscopy images

Junhu Tai^{1†}, Munsoo Han^{1,2†}, Bo Yoon Choi¹, Sung Hoon Kang¹, Hyeongeun Kim¹, Jiwon Kwak¹, Dabin Lee¹, Tae Hoon Lee¹, Yongwon Cho^{3,4*} and Tae Hoon Kim^{1,2*}

Correction to: Tai et al. *BMC Medical Informatics and Decision Making* (2024) 24:145

<https://doi.org/10.1186/s12911-024-02517-z>

Following the publication of the Original Article, the author reported an incorrect Funding from the ICT Creative Consilience program as follows: IITP-2023-2020-0-01819.

The correct number is IITP-2024-2020-0-01819.

The Original Article has been corrected.

Published online: 03 June 2024

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

[†]Junhu Tai and Munsoo Han contributed equally to this work.

The online version of the original article can be found at <https://doi.org/10.1186/s12911-024-02517-z>.

*Correspondence:

Yongwon Cho
dragon1won@gmail.com
Tae Hoon Kim
doctorth@korea.ac.kr

¹Department of Otorhinolaryngology-Head & Neck Surgery, College of Medicine, Korea University, Seoul, Republic of Korea

²Mucosal Immunology Institute, College of Medicine, Korea University, Seoul, Republic of Korea

³Department of Radiology and AI center, College of Medicine, Korea University, Seoul, Republic of Korea

⁴Department of Computer Science and Engineering, Soonchunhyang University, Cheonan-Asan, Republic of Korea

