

CORRECTION

Open Access



# Correction: Machine learning-based prognostic model for 30-day mortality prediction in Sepsis-3

Md. Sohanur Rahman<sup>1</sup>, Khandaker Reajul Islam<sup>2</sup>, Johayra Prithula<sup>1</sup>, Jaya Kumar<sup>2\*</sup>, Mufti Mahmud<sup>3</sup>, Mohammed Fasihul Alam<sup>4</sup>, Mamun Bin Ibne Reaz<sup>5</sup>, Abdulrahman Alqahtani<sup>6,7</sup> and Muhammad E. H. Chowdhury<sup>8\*</sup>

## Correction to: Rahman et al. *BMC Medical Informatics and Decision Making* (2024) 24:249

<https://doi.org/10.1186/s12911-024-02655-4>

Following the publication of the original article, the authors reported that the funding statement was incomplete, as it did not mention funding from Faculty of Medicine UKM. Instead, it mentioned that the open-access publication cost was covered by Qatar National Library. The correct funding note is as follows:

## Correct:

This work was made possible by High Impact grant# QUHI-CENG-23/24–216 from Qatar University and is also supported via funding from Prince Sattam Bin Abdulaziz University project number (PSAU/2024/R/1445). The statements made herein are solely the responsibility of the authors. **The open-access publication cost is covered by the Faculty of Medicine UKM.**

The original article has been corrected.  
Published online: 27 September 2024

## Publisher's note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The online version of the original article can be found at <https://doi.org/10.1186/s12911-024-02655-4>.

## \*Correspondence:

Jaya Kumar  
jayakumar@ukm.edu.my  
Muhammad E. H. Chowdhury  
mchowdhury@qu.edu.qa

<sup>1</sup>Department of Electrical and Electronics Engineering, University of Dhaka, Dhaka 1000, Bangladesh

<sup>2</sup>Department of Physiology, Faculty of Medicine, University Kebangsaan Malaysia, 56000 Kuala Lumpur, Malaysia

<sup>3</sup>Department of Computer Science, Nottingham Trent University, Clifton Lane, Nottingham NG11 8NS, UK

<sup>4</sup>Department of Public Health, College of Health Sciences, QU Health, Qatar University, Doha 2713, Qatar

<sup>5</sup>Department of Electrical Engineering, Independent University, Bangladesh, Dhaka, Bangladesh

<sup>6</sup>Department of Biomedical Technology, College of Applied Medical Sciences in Al-Kharj, Prince Sattam Bin Abdulaziz University, Al-Kharj 11942, Saudi Arabia

<sup>7</sup>Department of Medical Equipment Technology, College of Applied, Medical Science, Majmaah University, Majmaah City 11952, Saudi Arabia

<sup>8</sup>Department of Electrical Engineering, Qatar University, Doha 2713, Qatar



© The Author(s) 2024. **Open Access** This article is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License, which permits any non-commercial use, sharing, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if you modified the licensed material. You do not have permission under this licence to share adapted material derived from this article or parts of it. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by-nc-nd/4.0/>.